BS EN 60811-404:2012



Electric and optical fibre cables — Test methods for non-metallic materials

Part 404: Miscellaneous tests — Mineral oil immersion tests for sheaths



National foreword

This British Standard is the UK implementation of EN 60811-404:2012. It is identical to IEC 60811-404:2012.

In the UK, the relationship between the supersessions of BS EN 60811 series can be summarized as follows.

		251
	BS EN 60811-100 together with	Supersede
	-201, -202, -203, -501	BS EN 608 1-1:1995
	-301, -302, -411, -601, -602, -603, -604	63 10 60811-5-1:2000
	-401, -412	EN 60811-1-2:1995
	-402, -502, -503, -606	BS EN 60811-1-3:1995
	-403, -404, -507	BS EN 60811-2-1:1998
	-405, -409	BS EN 60811-3-2:1995
	-406, - 511, 1303, 1 607	BS EN 60811-4-1:2004
	-407, -408, 410, -510, -512, -513	BS EN 60811-4-2:2004
12	1504 , - 505, -506	BS EN 60811-1-4:1995
(1)	- 508, -509	BS EN 60811-3-1:1995

Superseded standards are withdrawn

The UK participation in its preparation was entrusted by Technical Committee GEL/20, Electric cables, to Subcommittee GEL/20/17, Electric Cables - Low voltage.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012

Published by BSI Standards Limited 2012

ISBN 978 0 580 65314 8

ICS 29.035.01; 29.060.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2012.

Amendments issued since publication

Amd. No. Date Text affected

EUROPEAN STANDARD

EN 60811-404

NORME FUROPÉENNE **EUROPÄISCHE NORM**

June 2012

ICS 29.035.01; 29.060.20

English version

Electric and optical fibre as es -Test methods for non-metallic materials -Part 404: Wighellaneous tests -Mineral oil in mersion tests for sheaths (IEC 60811-404:2012)

Câbles électriques et à fibres optiques -Méthodes d'essai pour les matériaux nonmétalliques -Partie 404: Essais divers -Essais de résistance à l'huile minérale pour les gaines (CEI 60811-404:2012)

Kabel, isolierte Leitungen und Glasfaserkabel -Prüfverfahren für nichtmetallene Werkstoffe -Teil 404: Sonstige Prüfungen -Ölbeständigkeitsprüfungen für Mäntel (IEC 60811-404:2012)

This European Standard was approved by CENELEC on 2012-04-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 20/1288/FDIS, future edition 1 of IEC 60811-404, prepared by IEC/TC 20 "INCCEDES" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC EN 60811-404:2012.

The following dates are fixed:

Item (dop) (dop) (dop) (dop) (dop) (dop) (dop) (dop) (dop) (dow) (do

- standards conflicting with document have to be withdrawn

This document supersedes Clause 10 of EN 60811-2-1:1998 + A1:2001 (partially). Full details of the replacements are shown in Annex A of EN 60811-100:2012.

There are no technical changes with respect to EN 60811-2-1:1998 + A1:2001, but see the Foreword to EN 60811-100:2012.

This standard is to be read in conjunction with EN 60811-100.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC)

Endorsement notice

The text of the International Standard IEC 60811-404:2012 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

The following documents, in whole or in part, are normatively referenced in the following and indispensable for its application. For dated references, only the edition of the referenced document.

NOTE When an international publication has been modified by community diffications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	Title Electric and optical fibre cables - Test	EN/HD	<u>Year</u>
IEC 60811-100	2012	Electric and optical fibre cables - Test methods for non-metallic materials - Part 100: General	EN 60811-100	2012
IEC 60811-501	-	Electric and optical fibre cables - Test methods for non-metallic materials - Part 501: Mechanical tests - Tests for determining the mechanical properties of insulating and sheathing compounds	EN 60811-501	-
ISO 1817	-	Rubber, vulcanized - Determination of the effect of liquids	-	-

CONTENTS

INT	RODL	JCTION5 1			
1	Scop	Scope			
2	Normative references				
3	Terms and definitions6				
4	Normative references Terms and definitions Test method 4.1 General 4.2 Pre-conditioning 4.3 Sample and test piece preparation 4.4 Determination of the cross-sections area of the test piece 4.5 Oil to be used 4.7 Determination of mechanical properties				
	4.1	General6			
	4.2	Pre-conditioning6			
	4.3	Sample and test piece preparation6			
	4.4	Determination of the cross-sections area of the test piece6			
	4.5	Oil to be used			
	4.6	Procedure7			
	4.7				
	4.8	Expression of results7			
5	Test report7				
Bibliography8					

INTRODUCTION

The IEC 60811 series specifies the test methods to be used for testing non-metallic materials of all types of cables. These test methods are intended to be referenced in standards for cable construction and for cable materials.

NOTE 1 Non-metallic materials are typically used for insulating, sheathing, bedding, filling to all my within cables.

NOTE 2 These test methods are accepted as basic and fundamental and have been developed and used over many years principally for the materials in all energy cables. They have as a been widely accepted and used for other cables, in particular optical fibre cables, communication and control ables and cables for ships and offshore applications.

ELECTRIC AND OPTICAL FIBRE CABLES -TEST METHODS FOR NON-METALLIC MATERIALS -

1 Scope

This Part 404 of IEC 60811 specifies the Nemod for a mineral oil immersion test, which typically applies to cross-linked companies used for sheathing materials.

Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60811-100:2012, Electric and optical fibre cables - Test methods for non-metallic materials - Part 100: General

IEC 60811-501, Electric and optical fibre cables - Test methods for non-metallic materials -Part 501: Mechanical tests - Tests for determining the mechanical properties of insulating and sheathing compounds

ISO 1817, Rubber, vulcanized – Determination of the effect of liquids

Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60811-100 apply.

Test method

General 4.1

This Part of IEC 60811 shall be used in conjunction with IEC 60811-100.

Unless otherwise specified, tests shall be carried out at room temperature.

4.2 **Pre-conditioning**

All the tests shall be carried out not less than 16 h after the extrusion or cross-linking, if any, of the sheathing compounds.

4.3 Sample and test piece preparation

Five test pieces shall be prepared in accordance with the procedures described in IEC 60811-501.

Determination of the cross-sectional area of the test piece 4.4

See the test method in IEC 60811-501.

4.5 Oil to be used

Unless otherwise agreed, the mineral oil to be used shall be oil no. 2 (IRM 902) as described in ISO 1817.

4.6 Procedure

The test pieces shall be immersed in the oil bath, previously heated the specified test temperature, and shall be maintained in the oil at that temperature the he specified time (see standard for the type of cable).

At the end of the specific duration, the test pieces slall be removed from the oil, blotted lightly to remove excess oil and suspended in air at the blent temperature for at least 16 h but not more than 24 h, unless otherwise specifical in the relevant cable standard. At the end of this period, any further excess oil shall be removed by lightly blotting the test pieces.

4.7 Determination of mechanical properties

See the test method in IEC 60811-501.

4.8 **Expression of results**

The calculation of tensile strength shall be based on the cross-sectional area of the test piece measured before immersion (see 4.2.2).

The difference between the median value obtained on the five test pieces immersed in oil and the median value of the values obtained for the untreated test pieces (see IEC 60811-501), expressed as a percentage of the latter, shall not exceed the percentage specified in the standard for the type of cable.

If required by the standard for the material in the relevant standard for the type of cable, the values found for the aged test pieces shall be calculated, in terms of variation compared to the untreated test pieces according to the following formulae:

$$V_{\mathsf{T}} = \frac{T_{\mathsf{E}} - T_{\mathsf{U}}}{T_{\mathsf{U}}} \times 100 \tag{1}$$

$$V_{\mathsf{E}} = \frac{E_{\mathsf{E}} - E_{\mathsf{U}}}{E_{\mathsf{U}}} \times 100 \tag{2}$$

where

 V_{T} is the variation of the tensile strength in per cent;

 T_{F} is the tensile strength of aged test piece;

 $T_{\mathsf{L}\mathsf{L}}$ is the tensile strength of untreated test piece;

is the variation of the elongation at break in per cent;

 E_{F} is the elongation at break of aged test piece in per cent;

is the elongation at break of untreated test piece in per cent.

NOTE The untreated specimen is kept at room temperature.

Test report

The test report shall be in accordance with that given in IEC 60811-100.

Bibliography

IEC 60811-2-1:1998, Insulating and sheathing materials of electric and optical cables – Common test methods – Part 2-1: Methods specific to elastomeric compounds – Compounds resistance, hot set and mineral oil immersion test (withdrawn)

http://www.china-gauges.com/

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumer trivial in and others to shape their combined experience and experience

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With British Standards Online (BSOL) you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a BSI Subscribing Member.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop

With a Multi-User Network Licence (MUNL) you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means - electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070 Email: copyright@bsigroup.com

