



BSI Standards Publication

## Household and similar electrical appliances - Safety

---

Part 2-98: Particular requirements for humidifiers

## National foreword

This British Standard is the UK implementation of EN 60335-2-98:2003+A11:2019. It is derived from IEC 60335-2-98:2002, incorporating amendments 1:2004 and 2:2008. It supersedes BS EN 60335-2-98:2003+A2:2008, which will be withdrawn on 16 April 2022.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to IEC text carry the number of the IEC amendment. For example, text altered by IEC amendment A1 is indicated by A1 A1.

Text altered by CENELEC amendment A11 is indicated by A11 A11.

The UK participation in its preparation was entrusted to Technical Committee CPL/61/7, Safety of electrical appliances - Heated appliance group.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019  
Published by BSI Standards Limited 2019

ISBN 978 0 580 83054 9

ICS 97.030

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2003.

### Amendments/corrigenda issued since publication

Date	Text affected
30 June 2006	Implementation of IEC amendment 1:2004 with CENELEC endorsement A1:2005
30 June 2009	Implementation of IEC amendment 2:2008 with CENELEC endorsement A2:2008
30 November 2019	Implementation of CENELEC amendment A11:2019

English version

**Household and similar electrical appliances -  
 Safety  
 Part 2-98: Particular requirements for humidifiers  
 (EC 60335-2-98:2002)**

Appareils électrodomestiques  
 et analogues -  
 Sécurité  
 Partie 2-98: Règles particulières  
 pour les humidificateurs  
 (CEI 60335-2-98:2002)

Sicherheit elektrischer Geräte für den  
 Hausgebrauch und ähnliche Zwecke  
 Teil 2-98: Besondere Anforderungen  
 für Luftbefeuchter  
 (EC 60335-2-98:2002)

This European Standard was approved by CENELEC on 2003-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



European Committee for Electrotechnical Standardization  
 Comité Européen de Normalisation Electrotechnique  
 Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**



## European foreword

The text of the International Standard IEC 60335-2-98:2002 (61/2231/FDIS), prepared by IEC Technical Committee 61, was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 60335-2-98 on 2003-05-01.

This European Standard replaces EN 60335-2-98:1997 + A1:2000.

The following dates are applicable:

- latest date by which the EN has to be implemented  
at national level by publication of an identical  
national standard or by endorsement (dop) 2004-05-01
- date on which national standards  
conflicting with the EN have to be withdrawn (dow) 2006-05-01

This part 2 has to be used in conjunction with EN 60335-1, Household and similar electrical appliances – Safety – Part 1: General requirements. It was established on the basis of the 2002 edition of that standard. Amendments and revisions of Part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of Part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electric humidifiers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letter Z.

NOTE 2 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

Special national conditions causing a deviation from this European Standard are listed in annex ZA and are in addition to those in EN 60335-1.

There are no national deviations from this European Standard, other than those listed in Annex ZB to EN 60335-1.

## Introduction

An investigation by CENELEC TC 61 has shown that all risks from products within the scope of this standard are fully covered by the Low Voltage Directive, 73/23/EEC. For products having mechanical moving parts, a risk assessment in accordance with the Machinery Directive, 98/37/EC, has shown that the risks are mainly of electrical origin and consequently this directive is not applicable. However, the relevant essential safety requirements of the Machinery Directive are covered by this standard together with the principal objectives of the Low Voltage Directive.

---

## Endorsement notice

The text of the International Standard IEC 60335-2-98:2002 was approved by CENELEC as a European Standard without any modification.

---

## Foreword to amendment A1

The text of document 61/2746/FDIS, future amendment 1 to IEC 60335-2-98:2002, prepared by the IEC Technical Committee 61, Safety of household and similar electrical appliances, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A1 to EN 60335-2-98:2003 on 2004-12-01.

The following dates are applicable:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2005-09-01
- date on which national standards conflicting with the amendment have to be withdrawn (dow) 2007-12-01

This amendment supplements or modifies the corresponding clauses of EN 60335-2-98:2003.

There are no special national conditions causing a deviation from this amendment.

There are no national deviations from this amendment.

---

## Endorsement notice

The text of amendment 1:2004 to the International Standard IEC 60335-2-98:2002 was approved by CENELEC as an amendment to the European Standard without any modification.

**EN 60335-2-98:2003+A11:2019 (E)**

**Foreword to amendment A2**

The text of document 61/3645/FDIS, future amendment 2 to IEC 60335-2-98:2002, prepared by IEC TC 61, Safety of household and similar electrical appliances, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as amendment A2 to EN 60335-2-98:2003 on 2008-08-01.

The following dates are applicable:

- latest date by which the amendment has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2009-05-01
- date on which national standards conflicting with the amendment have to be withdrawn (dow) 2013-08-01

This amendment supplements or modifies the corresponding clauses of EN 60335-2-98:2003.

There are no special national conditions causing a deviation from this amendment.

There are no national deviations from this amendment.

---

**Endorsement notice**

The text of amendment 2:2008 to the International Standard IEC 60335-2-98:2002 was approved by CENELEC as an amendment to the European Standard without any modification.

---



## Foreword to amendment A11

The text of the International Standard IEC 60335-2-98:2002 (61/2231/FDIS), prepared by IEC Technical Committee 61, was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 60335-2-98 on 2003-05-01.

This European Standard replaces EN 60335-2-98:1997 + A1:2000.

The following dates are applicable:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2004-05-01
- date on which national standards conflicting with the EN have to be withdrawn (dow) 2006-05-01

This part 2 has to be used in conjunction with EN 60335-1, Household and similar electrical appliances – Safety – Part 1: General requirements. It was established on the basis of the 2002 edition of that standard. Amendments and revisions of Part 1 have also to be taken into account and the dates when such changes become applicable will be stated in the relevant amendment or revision of Part 1.

This part 2 supplements or modifies the corresponding clauses of EN 60335-1, so as to convert it into the European Standard: Safety requirements for electric humidifiers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text of Part 1 is to be adapted accordingly.

NOTE 1 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.;
- subclauses, notes and annexes that are additional to those in the IEC standard are prefixed with the letter Z.

NOTE 2 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

Special national conditions causing a deviation from this European Standard are listed in annex ZA and are in addition to those in EN 60335-1.

There are no national deviations from this European Standard, other than those listed in Annex ZB to EN 60335-1.

**Annex ZA**  
(normative)

**Special national conditions**

*Addition:*

<u>Clause</u>	<u>Special national condition</u>
---------------	-----------------------------------

25.3	<b>Netherlands</b>
------	--------------------

Class I electrode-type appliances and class I appliances with bare heating elements shall only be intended to be permanently connected to fixed wiring.



*Replace Annex ZZA in the part 1 by the following:*

**Annex ZZA**  
(informative)

**Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered**

This European Standard has been prepared under a Commission's standardization request relating to harmonized standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

Compliance with this Part 2 when used together with the Part 1 provides one means of conformity with the safety objectives.

**Table ZZA.1 – Correspondence between this European Standard and Annex I of Directive 2014/35/EU [2014 OJ L96]**

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks/ Notes
1 a)	Clauses 4, 7	None
1 b)	Clauses 4, 7	None
1 c)	Clauses 4, 7	None
2 a)	Clauses 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	None
2 b)	Clauses 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	None
2 c)	Clauses 6, 7, 11, 15, 17, 18, 19, 20, 21, 22, 24, 25, 30, 32	None
2 d)	Clauses 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31	None
3 a)	Clauses 6, 7, 11, 17, 18, 19, 20, 21, 22	None
3 b)	Clauses 7, 11, 15, 19, 22, 25, 32	None
3 c)	Clauses 6, 7, 9, 10, 11, 14, 17, 18, 19, 21, 22	None

**WARNING 1** — Presumption of conformity stays valid only as long as a reference to this European Standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2** — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.



## CONTENTS

INTRODUCTION .....	6
1 Scope .....	7
2 Normative references.....	7
3 Definitions .....	7
4 General requirements .....	8
5 General conditions for the tests .....	8
6 Classification .....	8
7 Marking and instructions .....	8
8 Protection against access to live parts .....	10
9 Starting of motor-operated appliances .....	10
10 Power input and current.....	10
11 Heating.....	11
12 Void .....	11
13 Leakage current and electric strength at operating temperature .....	11
14 Transient overvoltages.....	11
15 Moisture resistance.....	11
16 Leakage current and electric strength .....	12
17 Overload protection of transformers and associated circuits.....	12
18 Endurance .....	12
19 Abnormal operation.....	12
20 Stability and mechanical hazards.....	12
21 Mechanical strength.....	12
22 Construction .....	12
23 Internal wiring .....	14
24 Components .....	14
25 Supply connection and external flexible cords.....	14
26 Terminals for external conductors .....	14
27 Provision for earthing.....	14
28 Screws and connections .....	14
29 Clearances, creepage distances and solid insulation .....	14
30 Resistance to heat and fire .....	14
31 Resistance to rusting .....	14
32 Radiation, toxicity and similar hazards .....	14
Bibliography .....	15

## INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

**A1)** It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances. **A1)**

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

**NOTE 1** This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

**NOTE 2** Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.



# HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES ± SAFETY ±

## Part 2-98: Particular requirements for humidifiers

### 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric humidifiers for household and similar use, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

**[A11]** NOTE Z101 Examples of appliances that are within the scope of the standard are

- ultrasonic humidifier,
- impeller humidifier,
- evaporation humidifier,
- steam vaporizer humidifier. **[A11]**

**[A1]** – appliances for heating liquids (IEC 60335-2-15); **[A1]**

- appliances that atomize water;
- appliances that evaporate water by heating;
- appliances that blow air through a moist element.

Appliances that are not intended for normal household use, but that nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

**[A11]** This standard deals with the reasonably foreseeable hazards presented by appliances and machines that are encountered by all persons. However, in general, it does not take into account

- **children** playing with the appliance,
- the use of the appliance by **very young children**,
- the use of the appliance by **young children** without supervision.

It is recognized that **very vulnerable people** may have needs beyond the level addressed in this standard. **[A11]**

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- humidifiers intended for use with heating, ventilation or air-conditioning systems (IEC 60335-2-88);
- appliances for medical purposes (IEC 60601);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

### 2 Normative references

This clause of Part 1 is applicable.

### 3 Definitions

This clause of Part 1 is applicable except as follows.

**3.1.6 Addition:**

NOTE 101 For **electrode-type appliances**, if no current is assigned to the appliance, the **rated current** is calculated from the **rated voltage** and the mean value of the power input during the first 2 min of operation, the appliance being supplied at **rated voltage** and operated under **normal operation**.

**3.1.9 Replacement:****normal operation**

operation of the appliance under the following conditions

The appliance is filled with the maximum quantity of water in accordance with the instructions, unless the appliance is connected to the water mains and the supply is automatically controlled.

For **electrode-type appliances**, the water has a resistivity of approximately 500  $\Omega\text{cm}$  at a temperature of 20 °C.

NOTE 101 The appropriate resistivity may be obtained by adding sodium chloride to the water.

**3.101****electrode-type appliance**

appliance in which a conductive liquid is heated by a current flowing through it

**A11 3.Z101****ultrasonic humidifier**

appliance that nebulises water by means of ultrasound vibrations

**3.Z102****impeller humidifier**

appliance that nebulises water by means of a high-speed rotating disk

**3.Z103****evaporation humidifier**

appliance that evaporates water by creating airflow over or through a moistened material

**3.Z104****steam vaporizer humidifier**

appliance that evaporates water by heating it up to the boiling point **A11**

**4 General requirements**

This clause of Part 1 is applicable.

**5 General conditions for the tests**

This clause of Part 1 is applicable except as follows.

**5.6 Addition:**

*Humidistats are short-circuited or rendered inoperative.*

**6 Classification**

This clause of Part 1 is applicable.

**7 Marking and instructions**

This clause of Part 1 is applicable except as follows.

**7.1 Modification:**

**Electrode-type appliances** shall be marked with their **rated power input**.

*Addition:*


Appliances that are manually filled shall have a level mark or other means to indicate when they are filled to their rated capacity, unless they cannot be filled beyond this capacity. This indication shall be visible when the appliance is being filled.

**A11** – If the appliance is an **ultrasonic humidifier** or **impeller humidifier**, it shall be marked with the symbol "Clean the water tank every 3 days" or by similar text. **A11**

**A2** If the temperature of the water vapour exceeds 60 °C, the appliance shall be marked with symbol IEC 60417-5597 (2002-10) or with the substance of the following:

CAUTION: Hot water vapour

NOTE 101 This symbol is a warning sign and the rules of ISO 3864-1 apply. **A2**

**A2** 7.6 *Addition:***A11** 7.12 *Addition:*

The instructions shall include details regarding filling, cleaning and descaling.

If symbols referred to in 7.1 or 7.6 of this amendment are used, then their meaning shall be explained in the instructions.

The instructions shall state the substance of the following:

- Be aware that high humidity levels may encourage the growth of biological organisms in the environment.
- Do not permit the area around the humidifier to become damp or wet. If dampness occurs, turn the output of the humidifier down. If the humidifier output volume cannot be turned down, use the humidifier intermittently. Do not allow absorbent materials, such as carpeting, curtains, drapes, or tablecloths, to become damp.
- Unplug the appliance during filling and cleaning.
- Never leave water in the reservoir when the appliance is not in use.
- Empty and clean the humidifier before storage. Clean the humidifier before next use.

The instructions for **ultrasonic humidifiers** and **impeller humidifiers** shall state the substance of the following:

**Warning:** Micro-organisms that may be present in the water or in the environment where the appliance is used or stored, can grow in the water reservoir and be blown in the air causing very serious health risks when the water is not renewed and the tank is not cleaned properly every 3 days.



The instructions for **ultrasonic humidifiers** and **impeller humidifiers** not provided with specific antibacterial features shall state the substance of the following:

- Empty the tank and refill every third day. Before refilling, clean it with fresh tap water or cleaning agents if required by the manufacturer. Remove any scale, deposits, or film that has formed on the sides of the tank or on interior surfaces, and wipe all surfaces dry.
- The instructions for **ultrasonic humidifiers** and impeller humidifiers provided with specific antibacterial components to be added to the water, shall state, if relevant, the type or characteristics of the antibacterial component to be used and shall clarify that these additives shall be added to the water at each refilling.

The instructions for **steam vaporizer humidifier** shall state the substance of the following:

- Keep the appliance out of the reach of children. Steam and boiling water may cause burns.

The instructions for **electrode-type appliances** shall include the substance of the following:

- the composition and quantity of solution to be used and advice not to use an excessive amount of salt;
- the appliance is not to be operated from a d.c. supply.  $\text{A}_{11}$

#### 7.12.1 Addition:

The installation instructions for appliances intended to be connected to the water mains shall state the maximum permissible water pressure in pascals.

#### $\text{A}_{11}$ 7.14 Addition:

The height of the symbols "Clean the water tank every three days" and "IEC 60417-5575 (2007-01)" shall be at least 12 mm.

The height of the text "Clean the water tank every three days" shall be 8 mm measured on the capital letters.  $\text{A}_{11}$

#### $\text{A}_2$ 7.15 Addition:

Symbol IEC 60417-5597 (2002-10) or the marking relating to hot water vapour shall be near the vapour outlet.  $\text{A}_2$

$\text{A}_{11}$  The symbol or the text for "Clean the water tank every three days" shall be clearly visible from the outside of appliance in normal use.  $\text{A}_{11}$

## 8 Protection against access to live parts

This clause of Part 1 is applicable.


## 9 Starting of motor-operated appliances


This clause of Part 1 is not applicable.

## 10 Power input and current

This clause of Part 1 is applicable except as follows.



**10.1**  Addition:

For **electrode-type appliances**, the negative deviation is not limited. 

**11 Heating**

This clause of Part 1 is applicable except as follows.

**11.4** Modification:

**Electrode-type appliances** are supplied at 1,06 times **rated voltage**.

## Addition:

If the temperature rise limits are exceeded in appliances incorporating motors, transformers or **electronic circuits**, and the power input is lower than the **rated power input**, the test is repeated with the appliance supplied at 1,06 times **rated voltage**.

**11.6** Replacement:

**Combined appliances** are operated as **heating appliances**.

**11.7** Replacement:

Appliances are operated until steady conditions are established.

**11.8** Addition:

The temperature rise limits of motors, transformers and components of **electronic circuits**, including parts directly influenced by them, may be exceeded when the appliance is operated at 1,15 times **rated power input**.



**12 Void****13 Leakage current and electric strength at operating temperature**

This clause of Part 1 is applicable except as follows.

**13.1** Modification:

**Electrode-type appliances** are supplied at 1,06 times **rated voltage**.

**13.2** Addition:

For **electrode-type appliances**, the leakage current is measured between a metallic mesh placed in the water vapour, 10 mm from the outlet, and **accessible metal parts**  including the metal foil. 

The leakage current shall not exceed 0,25 mA.

**14 Transient overvoltages**

This clause of Part 1 is applicable.

**15 Moisture resistance**

This clause of Part 1 is applicable except as follows.

**15.2 Addition:**

*In case of doubt, the spillage test is carried out with the appliance deviating from the normal position of use by an angle not exceeding 5°.*

*Appliances intended to be connected to the water mains are operated until the maximum water level is reached. The inlet valve is held open and the filling continued for 15 min after the first evidence of overflow or until the inflow stops automatically.*

**16 Leakage current and electric strength**

This clause of Part 1 is applicable.

**17 Overload protection of transformers and associated circuits**

This clause of Part 1 is applicable.

**18 Endurance**

This clause of Part 1 is not applicable.

**19 Abnormal operation**

This clause of Part 1 is applicable except as follows.

**19.2 Addition:**

*The container of **electrode-type appliances** is filled with a saturated solution of NaCl at 20 °C ± 5 °C, the appliance being supplied at **rated voltage**.*

NOTE 101 A solution is saturated when no more salt can be dissolved.

**19.3 Addition:**

*The test is not applicable to **electrode-type appliances**.*

**19.4 Modification:**

*Appliances are only filled with sufficient water to cover the heating elements.*

*Fans are switched off.*

**20 Stability and mechanical hazards**

This clause of Part 1 is applicable.

**21 Mechanical strength**

This clause of Part 1 is applicable.

**22 Construction**

This clause of Part 1 is applicable except as follows.

**22.6 Addition:**

Drain holes shall be at least 5 mm in diameter or 20 mm<sup>2</sup> in area with a minimum dimension of at least 3 mm.

*Compliance is checked by measurement.*

**22.33 Modification:**

Liquids may be heated using electrodes and may be in direct contact with their **live parts**.

**22.101** The vapour outlet of appliances incorporating means for heating water shall be free from obstructions that could give rise to a significant pressure within the container. The container shall be vented to the atmosphere, the aperture being at least 5 mm in diameter or 20 mm<sup>2</sup> in area with a minimum dimension of at least 3 mm.

*Compliance is checked by inspection and by measurement.*

**22.102** Appliances for wall mounting shall have reliable provision for fixing to a wall, independent of the connection to the water mains.

*Compliance is checked by inspection.*

**22.103 Electrode-type appliances** shall be constructed to ensure that when the filling aperture of the container is open, both electrodes are disconnected to provide **all-pole disconnection** under overvoltage category III conditions.

**A11** This requirement does not apply to an appliance that requires the withdrawal of an appliance connector in order to gain access to the filling aperture. **A11**

*Compliance is checked by inspection.*

**22.104** Appliances intended to be connected to the water mains shall withstand the water pressure expected in normal use.

*Compliance is checked by connecting the appliance to a water supply having a pressure equal to twice the maximum inlet water pressure or 1,2 MPa, whichever is the higher, for a period of 5 min.*

*There shall be no leakage.*

**A11** **22.Z101** Water reservoirs of **ultrasonic** or **impeller type humidifiers** not provided with specific antibacterial features shall be constructed so that every internal surface in touch with water is easily accessible for cleaning.

*Inspection is made by using test probe B of EN 61032, which should be able to access all surfaces and within 3 mm of any corners.*

**22.Z102 Ultrasonic and impeller humidifiers** not provided with specific antibacterial features shall give an audible and visible indication after a maximum interval of 3 days since last refill and every time when the appliance is energised. The indication shall remain until action by the user (e.g. cleaning and filling the container with fresh water or resetting the alarm) is taken.

*Compliance is checked by inspection.*

**22.Z103** For **ultrasonic and impeller humidifiers** provided with specific antibacterial features (e.g. by construction, by chemical additives, etc.), the manufacturer shall deliver a declaration, with supporting documentation, to give evidence of the effectiveness of antibacterial features.

*Compliance is checked by inspection of the documentation delivered.*

**22.Z104** Appliances shall be constructed so that lubricants are prevented from polluting the water in the reservoir.

*Compliance is checked by inspection. **A11***



### **23 Internal wiring**

This clause of Part 1 is applicable.

### **24 Components**

This clause of Part 1 is applicable except as follows.

**24.101 Thermal cut-outs** incorporated in appliances for compliance with Clause 19 shall not be self-resetting.

*Compliance is checked by inspection.*

### **25 Supply connection and external flexible cords**

This clause of Part 1 is applicable.

### **26 Terminals for external conductors**

This clause of Part 1 is applicable.

### **27 Provision for earthing**

This clause of Part 1 is applicable.

### **28 Screws and connections**

This clause of Part 1 is applicable.

### **29 Clearances, creepage distances and solid insulation**

This clause of Part 1 is applicable except as follows.

#### **29.2 Addition:**

For **electrode-type appliances**, the microenvironment of the insulation supporting the electrodes is pollution degree 3.

### **30 Resistance to heat and fire**

This clause of Part 1 is applicable except as follows.

**30.2.2** Not applicable.

### **31 Resistance to rusting**

This clause of Part 1 is applicable.

### **32 Radiation, toxicity and similar hazards**

This clause of Part 1 is applicable.



## Bibliography

The bibliography of Part 1 is applicable except as follows.

*Addition:*

IEC 60335-2-88, *Household and similar electrical appliances ± Safety ± Part 2-88: Particular requirements for humidifiers intended for use with heating, ventilation or air-conditioning systems*

**A2** ISO 3864-1, *Graphical symbols ± Safety colours and safety signs ± Part 1: Design principles for safety signs in workplaces and public areas*

ISO 13732-1, *Ergonomics of the thermal environment ± Methods for the assessment of human responses to contact with surfaces ± Part 1: Hot surfaces* **A2**

# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

## Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

## Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [cservices@bsigroup.com](mailto:cservices@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Useful Contacts

### Customer Services

**Tel:** +44 345 086 9001

**Email:** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 345 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK